As with other counts over the last ten months, COVID-19 restrictions meant that, to keep everyone safe, we deviated from our normal practices. Observers travelled in convoy or surveyed smaller areas on their own, rather than travelling together as teams in a single vehicle.

The twenty-three participants faced moderate winds in the morning but had to bring their counts to an end mid-afternoon, when a snow squall blew in and reduced visibility to near zero at times. Despite the abbreviated day, the species count at 29 was just above the long-term average and an additional four species were added in the count period, including a new species for the count – Northern Hawk Owl, spotted by Jimmy MacDonald on Christmas day.

Upland game birds were abundant this year. The counts for Gray Partridge (100) and Sharp-tailed Grouse (87) have been exceeded only once since 2005.

Rock Pigeon were at an all-time high (870) as were Eurasian Collared Dove (16). The latter was first reported in 2007 and counts had not previously exceeded two birds. It continues to become established in Saskatoon and surrounding towns. This year sixteen birds were observed in a backyard in Silverwood.

The count for Downy Woodpecker (7) was 50% of the long-term average and Common Raven (161) were at a 10-year low. In contrast, House Finch (192) were at an all-time high, as they are perhaps recovering in this area from avian conjunctivitis, which has reduced their numbers in recent years, although diseased birds are still being seen in Saskatoon.

With the exception of White-winged Crossbill (27), the irruptive finches that can be expected on this count were largely absent this year (Pine Grosbeak, Common Redpoll, Pine Siskin).

Thank you to everyone who participated on the count!

Janine McManus, Organizer

John Patterson, Compiler

| 1-W | 2-NW | 3-Warm. | 4-N | 5-NE | 6-SE | 7-Mart. | 8-S | 9-Silv. | 10-Cent. | SECTOR | 2020 | 2019 | 2018 | 2017 | 2016 | 2015 | 2014 | 2013 | 2012 |
|-----|------|---------|-----|------|----------|---------|-----|---------|----------|------------------------------|------|------|------|------|------|------|------|------|------|
| 14 | 10 | 13 | 8 | 12 | 11 | 9 | 10 | 11 | 15 | Total Species - count day | 29 | 26 | 30 | 36 | 29 | 34 | 24 | 28 | 32 |
| | | | | | | | | | | Total Species - count period | 3 | 1 | 1 | 1 | | | | 1 | |
| 4.0 | 4.0 | 4.3 | 5.0 | 4.4 | 3.9 | 3.8 | 5.5 | 3.0 | 4.8 | Party Hours | 42.8 | 46.0 | 42.7 | 40.3 | 44.5 | 45.0 | 45.6 | 48.5 | 48.1 |
| 2 | 2 | 1 | 2 | 3 | 4 | 1 | 2 | 2 | 6 | Participants | 25 | 31 | 29 | 24 | 25 | 20 | 18 | 22 | 28 |
| | | | | | | | | | | BIRDS | | | | | | | | | |
| | | | | | | | | | 1 | Canada GOOSE | 1 | 6 | 483 | 350 | 544 | 920 | 240 | 1 | |
| | | | | | | | | | | MALLARD | | | 2 | | 10 | | | | |
| | | | | | | | 11 | 31 | 40 | Common GOLDENEYE | 69 | 77 | 242 | 26 | 1 | 58 | | | 9 |
| | | | | | | | | | | Common Merganser | | | 3 | | | | | | |
| 11 | 8 | | 30 | 11 | 7 | | 26 | | 7 | Gray PARTRIDGE | 100 | 58 | 94 | 84 | 39 | 29 | 57 | 40 | 92 |
| | | | | | | | | | | Ruffed GROUSE | | | | | | | | | |
| | 11 | | | 30 | 37 | | | | 9 | SHARP-TAILED Grouse | 87 | 65 | 48 | 40 | 36 | 34 | 52 | 96 | 50 |
| 500 | 84 | 21 | 148 | 46 | | 2 | 47 | 1 | 21 | Rock PIGEON | 870 | 372 | 610 | 282 | 182 | 368 | 381 | 158 | 269 |
| | | | | | | | | 16 | | EURASIAN COLLARED Dove | 16 | 2 | | | | 1 | | 1 | |
| | | | | | | | | | | Mourning Dove | | | | 1 | | 1 | | | |
| | | | | | | | | | | Hawk sp | | | | | | | | | |
| | | | | | | | | | | Sharp-shinned HAWK | | (1) | | 2 | 1 | | | | 1 |
| | | | | | | | | | | Northern GOSHAWK | (1) | | | | | | | | 2 |
| | | | | 2 | | | 2 | | 1 | Bald EAGLE | 5 | | 2 | 2 | 1 | 8 | | 2 | |
| | | | | | | | | | | Red-tailed Hawk | | | | | | | | 1 | |
| | | | | | | | | | | ROUGH-LEGGED Hawk | | | | | 1 | | | | |
| | | 1 | | | | | | | | Great Horned OWL | 1 | 5 | 4 | 3 | 5 | 9 | 1 | 4 | 6 |
| | | | | | | | | | | SNOWY Owl | (1) | 5 | 2 | 2 | 1 | 2 | 1 | 5 | 5 |
| | | | | | | | | | | Short-eared Owl | | | | | | | | | |
| | | | | | | | | | | Northern Hawk Owl | (1) | | | | | | | | |
| | | | | | | | | | | Northern Saw-whet Owl | | | | | | | | | |
| | | | | | | | | | | Picoides sp | | | | | | | | | |
| 2 | | 1 | | | 1 | | | | 3 | Downy WOODPECKER | 7 | 15 | 17 | 15 | 15 | 10 | 10 | 18 | 26 |
| 2 | | | | 1 | 3 | | 1 | | 2 | HAIRY Woodpecker | 9 | 15 | 15 | 10 | 14 | 7 | 8 | 11 | 8 |
| | | | | | | | | | | PILEATED Woodpecker | | | _ | | | | | 1 | |
| | | | | | | | | | | Northern FLICKER | | | 1 | 1 | | 2 | | _ | 1 |
| 1 | 1 | | | | <u> </u> | | | | | MERLIN | 2 | 1 | 1 | 3 | | | 2 | 1 | 2 |
| | | | | | <u> </u> | | | | | Gyrfalcon | | ļ | | | | 1 | | | |
| | | | | | | | | | | Northern SHRIKE | 4.2 | | 2 | 2 | | | 1 | 1 | 1 |
| 2 | 26 | 4 | 27 | 20 | 20 | 2 | 27 | 4 | 1.1 | Blue JAY | 12 | 25 | 17 | 17 | 9 | 4 | 5 | 6 | 2 |
| 75 | 36 | 4 | 27 | 29 | 29 | 12 | 27 | 9 | 14 | Black-billed MAGPIE | 262 | 400 | 255 | 272 | 312 | 221 | 318 | 219 | 315 |
| 7.0 | | | 24 | 10 | | 1 | 10 | 4 | | American CROW | 1 | 244 | 242 | 174 | 1 | 101 | 420 | 207 | 242 |
| 76 | 3 | 3 | 21 | 18 | 9 | 4 | 19 | 4 | 4 | Common RAVEN | 161 | 344 | 243 | 171 | 221 | 191 | 429 | 307 | 313 |
| | 24 | 10 | | 15 | 1.5 | 12 | 13 | 22 | 22 | Horned Lark | 146 | 104 | 3 | 166 | 240 | 136 | 127 | 200 | 170 |
| 7 | 21 | 10 | 9 | 15 | 15 | 13 | 12 | 22 | 22 | Black-capped CHICKADEE | 146 | 184 | 196 | 166 | 210 | 136 | 137 | 209 | 176 |

| 1-W | 2-NW | 3-Warm. | 4-N | 5-NE | 6-SE | 7-Mart. | 8-S | 9-Silv. | 10-Cent. | SECTOR | 2020 | 2019 | 2018 | 2017 | 2016 | 2015 | 2014 | 2013 | 2012 |
|-----|------|---------|-----|------|------|---------|-----|---------|----------|----------------------------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | Boreal Chickadee | | | | | | | | | |
| 3 | | 5 | | | 1 | 3 | | 2 | | Red-breasted NUTHATCH | 14 | 13 | 17 | 11 | 32 | 3 | 1 | 1 | 49 |
| 1 | 1 | | | | | | | | | WHITE-BREASTED Nuthatch | 2 | 1 | 7 | 8 | | 3 | 3 | 2 | |
| | | | | | | | | | | Brown CREEPER | | 2 | | 1 | 2 | | | | 3 |
| | | | | | | | | | | Golden-crowned KINGLET | | | | | | | | 1 | 2 |
| | | | | | | | | | | Townsend's Solitaire | | | | | | 1 | 1 | | |
| | | | | | | | | | | Varied Thrush | | | | 1 | | | | | |
| | | | | | | 1 | | 2 | | American ROBIN | 3 | 2 | 7 | 1 | | 1 | 1 | 35 | 10 |
| 4 | | | 50 | 40 | | | | | 3 | European STARLING | 97 | 108 | 160 | 303 | 85 | 183 | 165 | 100 | 201 |
| | | | 20 | | | | | | 35 | Bohemian WAXWING | 55 | 36 | | 34 | 188 | 67 | 188 | 110 | 725 |
| | | | | | | | | | | CEDAR Waxwing | | | | | | | | 3 | |
| | | | | | | | | | | Evening GROSBEAK | | | | | | | | | |
| | | | | | 1 | | | | | PINE Grosbeak | 1 | | | 34 | | 21 | 2 | | 94 |
| | 3 | 100 | | | | 72 | | 8 | 9 | House FINCH | 192 | 85 | 91 | 144 | 117 | 52 | 118 | 71 | 42 |
| | | | | | | | | | | PURPLE Finch | | | | | | 7 | | | |
| | | 4 | | 16 | 4 | | | | | Common REDPOLL | 24 | | 121 | 121 | 60 | 555 | 32 | | 1896 |
| | | | | | | | | | | HOARY Redpoll | | | | 2 | | 5 | | | 11 |
| | | | | | | | | | | Red CROSSBILL | | | | | | 21 | | | |
| | | 27 | | | | | | | | WHITE-WINGED Crossbill | 27 | | | 5 | 34 | 31 | | | 34 |
| | | | | | | | | | | Pine SISKIN | (3) | 7 | 15 | 7 | 4 | | | | |
| | | | | | | | | | | American GOLDFINCH | | | | 2 | 1 | | | | 1 |
| 1 | | | | 86 | | | | | | Snow BUNTING | 87 | 57 | 571 | 58 | 1 | 24 | | 1646 | 479 |
| | | | | | | | | | | American Tree Sparrow | | | | | | | | | |
| | | | | | | | | | | Dark-eyed JUNCO | | 4 | 3 | 1 | | 2 | | | |
| | | | | | | | | | | Harris's Sparrow | | | | | | | | | 1 |
| | | | | | | | | | | White-throated SPARROW | | | | | | | | | |
| 30 | 135 | 110 | 76 | 305 | 61 | | 152 | 110 | 69 | HOUSE Sparrow | 1048 | 1926 | 1523 | 1009 | 1059 | 1305 | 1427 | 1020 | 973 |
| | | | | | | | 2 | | | Red-winged Blackbird | 2 | | (1) | | | | | | |
| | | | | | | | | | | Rusty Blackbird | | | | | | | | (3) | |
| | | 3 | | | | | | | | Common Grackle | 3 | | | | | | , | | |
| 715 | 303 | 293 | 381 | 599 | 168 | 110 | 299 | 209 | 240 | Total Birds - count day | 3304 | 3815 | 4755 | 3191 | 3186 | 4283 | 3580 | 4070 | 5799 |
| | | | | | | | | | | Total Birds - count period | 5 | 1 | 1 | 1 | | | | 3 | |

The total bird count may be less than the sum of the sector counts due to the elimination of potential duplicate counts on the river.

^{() -} count period observations (Dec 14 - Jan 5). These are only recorded if the species was not seen on count day.

| 1-W | 2-NW | 3-Warm. | 4-N | 5-NE | 6-SE | 7-Mart. | 8-S | 9-Silv. | 10-Cent. | SECTOR | 2020 | 2019 | 2018 | 2017 | 2016 | 2015 | 2014 | 2013 | 2012 |
|-----|------|---------|-----|------|------|---------|-----|---------|----------|-------------------------|------|------|------|------|------|------|------|------|------|
| | | | | | | | | | | MAMMALS | | | | | | | | | |
| | | | | | | | | | | Shrew sp | | 1 | 1 | | | | | | |
| | | | | | | | | | | Nuttall's Cottontail | | | | | | | 1 | | |
| | | | | | | | | | | Snowshoe Hare | | Т | | | Т | Т | 1 | Т | 3 |
| | | 1 | 3T | | | 4 | | хT | хT | White-tailed Jackrabbit | 5 | Т | Т | 2 | 1 | Т | Т | | 1 |
| | | | | | | | | | | Red Squirrel | | 2 | 2 | 1 | | | 1 | 2 | 4 |
| | | | | | | | | | | American Beaver | | | | | | | | | |
| | | | | | | | | | хT | Vole sp | >1T | Т | | | | | | | |
| | | | | | | | | | | Meadow Vole | | | | | | | | | |
| | | | | | | | | | | Deer Mouse | | | | | | | | | D |
| | | | | | | | | | | Mouse sp | | | | | | Т | | | Т |
| | | | | | | | | | | House Mouse | | | | 1 | | | | | |
| | | | | | | | 1 | | | Porcupine | 1 | 1 | | | | | | | |
| | | | | | | | | | | Coyote | | 8 | 2 | 2 | 13 | 1 | 10 | 2 | 11 |
| | | 1 | | 2 | | | | | | Red Fox | 3 | | | 1 | 2 | | | | |
| | | | | | | | | | | Raccoon | | | | | | | | | T |
| | | | | | | | | | | Weasel sp | | 1 | | | | | 1 | | |
| | | | | | | | | 1 | | American Mink | 1 | | | | | | | | |
| | | | | | | | 1 | | | American Badger | 1 | | | | | | | 1 | |
| | | | | | | | | | | River otter | | | | | 1 | | | | |
| | | | | | | | | | | Deer sp | | | | | | T | T | | |
| | | | 1 | 4 | 7 | | 3 | | | Mule Deer | 15 | | 11 | 20 | 12 | | 11 | 1 | |
| | | | 1 | 5 | | | 8 | | хT | White-tailed Deer | 14 | 8 | 12 | 65 | 26 | 9 | 15 | 22 | 4 |

T - tracks, D - digging or chewing, x - no count given, () - count period observation

| | PARTICIPANTS |
|----|--|
| 1 | Marten Stoffel, Marilyn Haskins |
| 2 | Janine McManus, Jeff Harder |
| 3 | Ron Jensen |
| 4 | Guy Wapple, Dale Booth |
| 5 | John Patterson, Dave Cook, Louise Cook |
| 6 | Bob Godwin, Robert Johanson, Lynn Oliphant FW, Rhonda Shewfelt FW |
| 7 | LeeAnn Latremouille |
| 8 | Stan Shadick, Jan Shadick |
| 9 | Lorne Duczek, Blair McCann |
| 10 | Janine McManus, Dawn Hall, Diane Wells, Jeff Harder, Kyla Bas, Heney Klypak FW |

FW - Feeder Watcher

| 1-W | 2-NW | 3-Warm. | 4-N | 5-NE | 6-SE | 7-Mart. | 8-S | 9-Silv. | 10-Cent. | SECTOR | 2020 | 2019 | 2018 | 2017 | 2016 | 2015 | 2014 | 2013 | 2012 |
|------------|-------------|-------------|-------------|-------------|-------------|--------------|------------|-------------|-------------|--------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | | | | | | | EFFORT | | | | | | | | | |
| 8:30 | 9:10 | 10:15 | 9:00 | 10:06 | 9:05 | 9:56 | 9:12 | 9:00 | 9:15 | Start Time | 8:30 | | | | | | | | |
| 12:30 | 13:10 | 14:35 | 15:15 | 14:52 | 12:58 | 13:46 | 14:42 | 12:00 | 12:15 | End Time | 15:15 | | | | | | | | |
| 0.5 | 2.8 | 2.0 | 1.0 | 0.5 | 0.8 | 3.8 | 1.0 | 3.0 | 3.3 | Time on foot | 18.6 | 11.8 | 13.3 | 14.3 | 16.5 | 14.5 | 16.7 | 20.1 | 20.5 |
| 3.5 | 1.3 | 2.3 | 4.0 | 3.9 | 3.1 | | 4.5 | | 1.5 | Time by Car | 24.2 | 34.2 | 29.4 | 26.0 | 28.0 | 30.5 | 28.9 | 28.4 | 27.6 |
| | | | | | 0.5 | | | | 3.0 | Time at Feeder | 3.5 | 18.5 | 5.5 | 3.5 | 13.0 | 4.0 | 4.0 | 3.0 | 3.0 |
| 0.4 | 3.5 | 4.0 | 1.0 | 0.5 | 0.4 | 11.6 | 1.5 | 4.0 | 6.4 | Dist by foot/ski | 33.3 | 23.8 | 15.0 | 13.5 | 18.2 | 26.0 | 24.6 | 37.0 | 21.5 |
| 84.0 | 24.5 | 56.0 | 165.0 | 76.0 | 52.5 | | 82.0 | | 15.7 | Dist by car | 555.7 | 654.0 | 600.0 | 507.0 | 560.0 | 574.0 | 515.0 | 545.0 | 572.0 |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | WEATHER | | | | | | | | | |
| | | | | | | | | | | Min. Temp. (°C) | -3 | -27 | 1 | -5 | -30 | -12 | -8 | -25 | -17 |
| | | | | | | | | | | Max Temp (°C) | 4 | -18 | 4 | 0 | -21 | -10 | -6 | -20 | -13 |
| | | | | | | | | | | Min. Wind (kph) | 15 | 5 | 22 | 15 | 4 | 5 | 3 | 4 | 5 |
| | | | | | | | | | | Max. Wind (kph) | 50 | 11 | 40 | 28 | 11 | 22 | 16 | 15 | 12 |
| | 15 | 5 | 5 | 20 | 20 | | 20 | | 15 | Min Snow Depth (cm) | 12 | 3 | 0 | 0 | | 2 | 10 | 10 | 20 |
| | 40 | 25 | 30 | 30 | 20 | | 30 | | | Max Snow Depth (cm) | 30 | 10 | 15 | 20 | 4 | 15 | 30 | 45 | 50 |
| 100 | 100 | 100 | 80 | 80 | 100 | | 100 | 100 | 100 | Cloud cover AM (%) | 95 | mcr | pcd | pcd | cr | cd | ОС | ОС | cr |
| | 100 | 100 | 100 | 100 | 100 | | 100 | | | Cloud cover PM (%) | 100 | mcr | mcr | cd | mcr | cd | cd | ls | cr |
| cd - cloud | ly, mcd - r | nostly clou | dy, pcd - p | partly clou | dy, pcr - p | partly clear | , mcr - mc | stly clear, | cr - clear, | oc - overcast, ls - light snow | | | - | | | | | | |
| | | | | | | | | | | HABITAT | | | | | | | | | |
| | | | | | | | | | | | + | | | | | | | | |

| | | | | | | | | | | HABITAT | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|---------------------------------|----|----|----|----|----|----|----|----|----|
| | | | | | | | | | | Evergreen forest | | | | | | | | | |
| | | | | | | | | | | Mixedwood forest | | | | | | | | | |
| | | | | | | | | | | Deciduous forest | | | | | 1 | 1 | 2 | 1 | |
| 60 | 10 | | | 15 | 65 | 25 | 72 | | | Aspen grove/ farmland | 25 | 20 | 30 | 28 | 20 | 16 | 22 | 21 | 13 |
| | | | | 15 | 5 | | | | | Aspen grove/prairie | | 5 | 5 | 4 | 6 | 7 | 6 | 2 | 10 |
| | | | | 10 | | | | | | Native prairie | | 5 | | 4 | 2 | 3 | 3 | 3 | 2 |
| | | | | 10 | | | | | | Tame pasture | | 5 | | 4 | 1 | 2 | 1 | 2 | |
| 40 | 20 | 20 | 85 | 20 | 15 | | | | 50 | Farmland | 25 | 20 | 20 | 22 | 11 | 18 | 17 | 10 | 22 |
| | 30 | 10 | 10 | 30 | 15 | | | | | Farmsteads | 10 | 10 | 15 | 10 | 15 | 23 | 22 | 19 | 24 |
| | 40 | 70 | | | | 75 | 10 | 50 | | Urban (incl. cottages/landfill) | 25 | 25 | 20 | 22 | 37 | 25 | 20 | 35 | 28 |
| | | | | | | | | 50 | | Open water | 5 | | | 1 | 1 | 1 | 2 | 1 | 1 |
| | | | 5 | | | | 18 | | 50 | Riparian (river bank) | 10 | 10 | 10 | 5 | 6 | 4 | 5 | 6 | |
| | | | | | | | | | | Other (specify) | | | | | | | | | |
| | - | | | | - | | - | | - | | | | | | - | | | - | |
| | | | | | | | | | | Wild fruit crop | f | n | f | n | f | σ | f | σ | n |

p - poor, f - fair, g - good, e - excellent