

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

The count was under-reported in two sectors

The count was under-reported in three or more sectors

The sector counts are unavailable, but are assumed to be under-reported if the count is >25 and the counts immediately before or after were under-reported

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull,Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.

1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike.

All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options.

Species	Long-term Average	2026 as %LTA	2021-25 as %LTA	2026	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985		
Hours of effort	187			241	211	195	245	239	287	276	201	182	203	184	182	184	185	202	176	166	181	184	206	187	177	199	222	217	180	205	162	151	102	137	136	190	197	218	183	148	177	172	136	124	155		
• Goose sp. •	3																																														
Snow Goose	20	445	71	87	24	20	4	13	8	20	21	70	29	66	21	6	8	25	10	1	8	21	3	7	12	1	1	19	2	14		1			32	2	1	3	12				110		3	304	8
Ross's Goose	6	14		1						1		115	3	2		3		2			31							9		2			27		16	1		21									
Greater White-fronted Goose	7	21	19	2	4		1	2	1	1	2		5		1		3		1	1	37		1	1		1		41	18	1		1	37	1	1	1	6	11	4	2	62			45	13		
Cackling Goose	0		415						3	1	2																																				
Canada Goose	883	80	128	709	970	1171	742	1410	1335	1840	1384	1008	1222	1377	904	954	660	874	714	893	1005	714	602	721	813	641	916	974	900	1104	692	567	725	547	524	426	1561	460	679	784	685	1188	742	502	253		
Trumpeter Swan	0		349					1																																							
Tundra Swan	10												1				3	5				5	1	6	2		4	5	6				1					18			5	12	264	81			
• Duck sp. •	174	71	218	124	1135	5	458	2	296	248	3	77	4	32	1290	218	24		8	7					35																						
Wood Duck	1	84	191	1	1	2	1		5	4	7			2						1	2				1			1	2						5			4									
Blue-winged Teal	421	149	95	627	514	545	343	292	308	367	428	711	798	501	523	446	549	546	459	340	419	644	322	555	310	257	161	412	235	381	277	360	340	327	324	301	256	707	597	552	318	595	300	339	306		
Cinnamon Teal	2	294	21	5	1			1		1		1		1	1	3	5			2				1	2	2				1	2	2						1	9		5				3	3	8
Cinnamon/ Blue-winged Teal hybrid	0																														1																
Northern Shoveler	541	190	134	1029	1307	946	563	405	397	794	605	665	1000	592	469	492	554	586	421	359	341	829	332	1360	358	757	166	209	388	412	279	337	369	296	306	218	373	564	773	647	282	1055	484	383	487		
Gadwall	362	131	120	474	492	849	242	291	301	391	534	516	366	369	425	249	254	370	292	334	337	729	222	266	179	232	129	366	249	306	191	276	287	229	257	217	470	802	661	506	332	441	368	273	245		
Eurasian Wigeon	0																														1																
American Wigeon	197	64	58	126	137	133	74	104	125	113	186	219	175	210	237	126	161	186	171	197	201	282	131	213	112	126	111	470	117	163	210	196	247	164	221	153	211	315	261	323	188	374	317	232	184		
Mallard	658	84	97	556	707	679	603	603	613	821	1208	949	948	868	745	598	674	670	613	669	469	620	331	387	411	809	352	699	631	1613	463	472	446	402	448	511	711	789	778	678	419	1342	404	481	351		
American Black Duck	0																															1															
Northern Pintail	170	68	64	116	166	192	124	31	29	48	106	127	129	80	123	155	143	158	173	108	152	235	168	326	268	81	84	82	96	157	140	105	217	199	231	190	227	376	199	389	213	179	223	271	264		
Green-winged Teal	87	135	99	117	112	83	108	58	68	95	99	119	149	116	90	104	91	121	79	106	122	145	70	88	57	28	34	28	25	36	45	66	58	87	142	76	56	80	85	82	97	261	93	59	39		
Canvasback	416	94	67	392	528	262	310	153	148	444	283	308	408	539	370	371	416	402	464	293	341	393	441	463	296	126	113	166	316	368	291	1356	455	439	743	360	468	388	596	928	390	719	412	422	363		
Redhead	298	59	58	177	357	214	99	92	100	165	94	296	400	474	316	312	233	356	417	163	201	385	428	368	220	267	129	257	177	304	243	377	333	413	539	280	397	351	339	404	283	469	381	330	266		
Ring-necked Duck	31	25	43	8	17	19	10	5	14	22	17	25	1	46	32	35	21	35	74	43	27	42	60	75	37	18	5	3	17	26	23	28	18	40	69	23	39	37	52	39	38	34	41	35	22		
Greater Scaup	0		72				2			1	3				3	2		2												2																2	
Lesser Scaup	463	66	74	306	309	339	349	403	312	434	418	540	567	551	567	523	520	401	548	494	530	299	324	574	284	203	155	140	336	311	450	576	627	697	869	541	805	648	828	592	302	334	342	529	405		
Surf Scoter																																															
White-winged Scoter	1		11						1				3						1			3						1			5			4		15	2		2		3	4	1		2	2	
Long-tailed Duck	0																																														
Bufflehead	133	91	93	121	105	109	125	162	115	213	209	120	97	229	119	45	126	106	188	182	72	73	132	306	160	66	46	86	103	129	105	181	135	247	279	134	163	159	114	106	76	86	85	77	74		
Common Goldeneye	20	79	84	16	12	15	21	13	20	22	35	9	10	12	52	6	27	15	56	6	2	7	38	30	57	8	29	10	3	14	15	25	5	85	22	14	6	11	20	11	20	2	7	23	5		
Barrow's Goldeneye	0		820							1																																					
• Merganser sp. •																																															
Hooded Merganser	2	64	115	2	2	1	5	4	2	4	13	1	1	4		1		12	12	1	2	3	3	2			</																				

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

The count was under-reported in two sectors

The count was under-reported in three or more sectors

The sector counts are unavailable, but are assumed to be under-reported if the count is >25 and the counts immediately before or after were under-reported

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull,Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.

1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike.

All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options.

Species	Long-term Average	2026 as %LTA	2021-25 as %LTA	2026	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985		
Eurasian Collared-Dove	4	309	329	11	13	20	6	12	7	9	19	14	8	10	4	5	5	3	1	5			2	1																							
Mourning Dove	168	165	127	277	242	169	343	161	151	201	200	307	138	183	259	217	187	188	134	119	278	171	149	152	141	126	114	87	82	141	114	142	135	131	142	126	159	134	165	153	197	165	142	182	153		
Black-billed Cuckoo	0									1																													1	1		2		1			
Common Nighthawk	3		34			2	2	1	1	2		29		2			2	2	2	1	2	1	3	2	2	4	3	2	2		5	5	5	4	4		6	4	3	3	3	3			18		
Chimney Swift																																															
Ruby-throated Hummingbird	4	21	59	1	2	2	2	2	3	9	6	5	4	1	8	5	1	5	3		3	7	1	5	2	4	3	3	6		5	3	11	7	4	4		3	3	2		1		1	12	1	
Black-chinned Hummingbird	0																																														
Virginia Rail	2		38				2	2		5	2	2	3	1	5	2		3	3			1	1		1				1				1		7	4	2	5			1	1	4	3	4		
Sora	72	113	82	81	75	74	69	27	50	40	17	95	87	90	103	99	102	100	100	50	46	63	82	100	31	33	29	17	36	97	57	50	93	131	146	99	97	108	66	61	52	76	73	71	74		
American Coot	728	96	45	699	890	400	76	79	201	82	87	286	434	882	792	394	815	1165	534	286	850	3150	1128	872	393	474	125	942	183	2819	526	913	954	858	1106	246	770	822	694	923	669	1270	719	537	499		
Yellow Rail	1																																														
Sandhill Crane	18	155	40	28	4	10	4	11	7	27	2	8				352	13	7		9	7	4		6	14	4	13	8	2			9	9	15	11	56		5	27	17	19	1	14	23	9	11	
• Shorebird sp. •	292		92				2	30	1310	379	230	8		2	9		1	1345					16	517	178					19	666	925								3690			2526		111		
Black-necked Stilt	2	1913	240	43	18	2	1	3	3			10	2	10	18	1	5	6				7	5																								
American Avocet	274	112	85	306	283	318	117	203	236	270	269	405	251	385	253	303	219	231	108	283	341	564	288	315	461	141	92	54	127	221	320	256	338	603	290	166	293	483	201	467	193	227	225	241	175		
Black-bellied Plover	217	14	23	31	14	22	4	86	122	62	40	23	69	6	77	19	51	162	22	62	165	169	56	18	40		60	5	82	188	116	486	82	603	771	120	1129	454	681	413	351	788	552	521	197		
American Golden-Plover	85	73	36	62	23	1	6	2	120	22	71	25	34		91					62	523	2		26	92	1	123	27	2	37			10	108		260	3	26	816	10	49	280	410	194	5	28	
Semipalmated Plover	7		100		5		1	2	29	1	19	13	3	1	7	3		2	1			27	3	32	65	7	1	2	2		24			2	1		1	1	3		1	17		16	2	10	
Piping Plover	1	219	46	3		1	2			1						2	1	1	3		1	2	4								2	2	4		8	4		2	3	1	4	2	2	3	2		
Killdeer	158	67	86	105	121	104	193	123	138	156	182	191	110	164	124	134	133	127	156	187	223	215	173	122	123	130	130	72	125	140	166	243	79	85	150	105	175	139	220	177	214	265	223	237	205		
Upland Sandpiper	6	156	48	10	8	5	1		2	1	4	4	2	4	5	8		6	10	8	4	4	6	1	2	2	3	5	3	4	10	17	2	3	11	7	8	9	11	6	34	21	8	5	12		
Whimbrel	0																1		2				1																								
Long-billed Curlew	6	85	56	5	3	8	2	2	1	3	4	8		3	2	4		3	1	2	3	5	2	3	6		4	2	3	3		2	22			1	6	12	20	19	13	13	11	11	9	10	
Hudsonian Godwit	1	71	35	1		2																									3	1			15				7		3		1	3	3	8	
Marbled Godwit	63	22	33	14	19	16	14	20	32	35	47	52	12	23	66	33	32	38	37	44	64	58	54	37	23	36	56	91	76		62	80	102	42	60	95	77	118	82	116	112	120	142	153	78	110	
Ruddy Turnstone	11	7	40	1	2				20		19	15	7		4	4	23	73	2	1	11		15			1	2	6			11		30	20	5	22	27	9	25	11		13	2	43	15	2	
• Large Sandpiper sp. •	75																																														
Red Knot	4	6							1																						3																
Stilt Sandpiper	1707	187	51	3199	1036	1280	921	455	646	582	2326	1261	744	79	116	458	794	325	1340	1250	462	2529	358	287	5571	254	938	559	284	370	661	1300	1480	1269	13689	444	4466	2662	3195	516	1030	1343	5017	3794	3878		
Sanderling	191	23	59	44	70	229	148	40	74	135	155	482	2	64	5	206	302	121	583	265	94	13	28	13	38	125	23	14	19	97	22	4	175	181	524	897	866	175	287	341	107	435	136	178	146		
Dunlin	2	203	27	3				1	1	1	1						2				5	2	1		7									3			1	3	2	1	1	9	14	3	6		
• Peep sp. •	1823	40	78	736	947	1801	2392	1619	345	334	1061	161			144	56	323	38	117	99	494	3611	71	141	851	98	2482	2	7333	1520	485	8686	238	644	27160	222	3793	1974	2311	1269	36		1127	754			
Baird's Sandpiper	105	162	168	171	355	93	375	34	25	35	31	34	10	4	43	8	60	53	7	29	80	24	44	18	50	75	375	436	222	193	15	74	15	44	448	17	125	89	36	40	69	191	349	44	45		
Least Sandpiper	46	78	100	36	47	147	3	21	10	20	36	24	3		45	19	30	13	1	3	296	95		26	23	23	5	102	243	10	10	21	15	44	52	6	7	95	41	23	44	15	192	48	7		
White-rumped Sandpiper	122	76	52	93	36	26	133	55	70	73	4	32	42	21	20	2	64	23	8	26	40	40																									

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

The count was under-reported in two sectors

The count was under-reported in three or more sectors

The sector counts are unavailable, but are assumed to be under-reported if the count is >25 and the counts immediately before or after were under-reported

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull,Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.

1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike.

All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options.

Species	Long-term Average	2026 as %LTA	2021-25 as %LTA	2026	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985	
Willet	88	57	72	50	68	51	70	59	66	86	75	61	57	72	83	49	60	43	57	70	107	96	79	58	39	74	83	138	106	87	94	111	66	48	120	76	111	93	133	129	180	189	120	104	131	
Lesser Yellowlegs	11	28	29	3	3	12	1		1	7	13	4	5	5	17		25	6	1	3	25	18		9	5	4	6	11	6	12	59	16	9	5	12	10	2	31	9	11	13	8	33	5	36	
Parasitic Jaeger																																														
• Gull sp. •	1		672				11		15	5																																				
Sabine's Gull	0																								6																	1				
Bonaparte's Gull	9		26		3		9					2	1	20								18		20	7	1	15	1	1	1	37	10	18	4	7	1	3	49	5	69	3	3	11	3	54	
Franklin's Gull	1523	16	11	246	175	248	107	127	159	73	48	398	568	1339	1080	677	3385	3550	2005	1173	2611	1680	2872	4628	1881	1012	501	273	434	1375	693	74	1825	329	3551	2979	3105	4046	2668	3434	311	372	302	6100	277	
• White-headed Gull sp. •	328	9	73	29	43	40	72	288	756	37	9	18	414	579	325	3095	1033	79	23	509	626	69	927	342	106	366	305	316	131	570	120	561	360	60	356	230	254	82	321	13	10	17				
Ring-billed Gull	313	15	39	46	131	106	69	103	198	341	401	569	68	328	176	160	190	259	80	212	86	964	178	311	1637	282	258	454	495	232	245	119	846	312	93	212	783	245	245	131	202	210	208	389	311	
California Gull	85	133	169	114	74	291	122	60	174	56	22	2	6	11	2		108	36	5	33	23	13	10	9	279	366	71	208	143	6	39	25	77	303	21	86	176	27	52	54	39	72	19	323	59	
American Herring Gull	6		60		1			6	10	3	1	1						2	3	6	4	3	6	1			3	11	6	1	32		2	1	40	46	15	3		1	1	3	12	11	5	
Iceland Gull	0		820						1																																					
Lesser Black-backed Gull	0		193						1																2																					
Glaucous Gull	0																																2													
Caspian Tern	0	984	648	1	2			1		1																																				
Black Tern	596	104	34	620	503	231	117	85	77	81	239	282	554	420	661	593	585	462	645	1181	518	318	606	491	666	441	101	43	260	457	557	426	824	599	650	665	922	1767	448	940	440	378	306	235	4668	
• White tern sp. •	0														10				1																								8			
Common Tern	22	21	46	5	4	4	10	16	16	24	14	11	14	49	39	15	22	43	70	10	8	8	13	10	13	23	16	27	30	28	24	9	11	16	18	16	35	11	18	59	32	17	25	39	28	
Arctic Tern	0																						1																							
Forster's Tern	10	82	55	9	9	1	2	15	1	7	7	20	4	5	4	15	7	11	7	23	18	2	28	5	7	28	20	1	1	5	18		15	12		4	32	13	15	21	13	4	8	8	6	
Common Loon	3	68	30	2		3	2			1	6	3	1			2	3	1	4	2			2	3	2	1	1	3	3	5	6	6	2	5	16	5	7	6	2	11	6	2	7	6	5	
Yellow-billed Loon																																														
Double-crested Cormorant	64	214	71	136	56	27	62	58	23	76	82	57	55	44	24	55	97	12	4	35	100	59	106	63	36	121	28	33	34	221	251	22	29	22	69	36	29	96	38	157	84	14	11	107	81	
American White Pelican	124	41	99	51	236	74	92	144	66	68	105	78	80	77	88	78	192	93	103	172	78	114	83	121	68	118	88	124	204	106	149	104	216	102	175	144	192	103	227	272	84	102	62	131	154	
American Bittern	6	41	12	2			2		2	1			8	9	13	13	3	13	2		3	6	4	1			2		3	8		2	11	1	14	8	9	5	2	10	4	15	12	29	14	
Great Blue Heron	6	26	118	2	7	5	2	7	14	7	9	1	10	6	5	5	1	5	6	1	11	2	4	1	4		2	1		4	5	7	5	5	4	4	8	4	5	23	10	14	3	12	13	
Great Egret	0																																													
Cattle Egret	0																		2																											
Black-crowned Night Heron	6	13	67	1			1		20	20	20	5	7	1	4	12	2	2	3	1	10	2	9	1				2		2	8		4	5	3	1	3	1	5	11	13	4	10	9	47	
White-faced Ibis	0	8417	657	32	12										2						1																									
Turkey Vulture	6	313	217	19	8	16	13	20	10	16	13	24	29	10	3	12	3	11	10	10	6	5	6	6	2	1	4		1	1	3	1		1	3						2				1	
Osprey	2	332	197	6	7	1	5	2	3	3	3	4	4	3	4	2	5	1	3	3	4	2	1	2	2	1	1	1	1	1	3						1		1	1						
Golden Eagle	0																	1																	4											
Northern Harrier	51	38	49	19	35	22	23	23	22	23	27	37	36	28	32	33	49	30	81	39	71	52	24	67	64	25	23	21	43	68	40	50	66	87	63	56	68	70	86	120	103	60	76	77	64	
• Accipiter sp. •	0		216						1																																				2	
Sharp-shinned Hawk	2	45	87	1	4	1		2	1	1	1	4		2		3	1	2	1	1		1		1	2		1	1	1	2			5		1	3	1	4	2	4	3	3	1	5	2	5
Cooper's Hawk	4	110	112	5	5	4	5	5	5	5	1	7	3	5	2	3	4	4		3	6	5		3	5	4	3		5	5	7	2	2	7	5	1	4	4	4	9	7	11				

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull,Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.

1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike.

All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options.

Species	Long-term Average	2026 as %LTA	2021-25 as %LTA	2026	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985			
Northern Saw-whet Owl	0									2																																						
Belted Kingfisher	5	135	35	6	4	1		2	2	3	6	5	6	4	9	2	4	8	3	6	5	5	2	8	4		1	3	2		2		14	5	4	4	1	7	3	8	15	11	5	4	8	4		
• Woodpecker sp. •	1	751	74	5			2					1				3	2	1	1						5		3	1	3														3					
Yellow-bellied Sapsucker	9	142	89	13	10	12	8	5	6	18	20	9	15	7	11	18	12	8	5	6	19	6	11	5	8	4	6	10	1	3	17	1	13	22	3	3	2	7	14	14	7	1	10	18	6			
Lewis's Woodpecker																																																
Red-headed Woodpecker	0											1																											1									
American Three-toed Woodpecker	0															1																																
Black-backed Woodpecker	0																																															
• Hairy/Downy Woodpecker •	0									1																																						
Downy Woodpecker	9	418	212	38	22	18	19	17	20	16	21	12	7	6	12	9	9	7	3	8	13	6	4	3	5	8	5	13	7		4	12	5	5	10	5	4	6	7	10	6	8	3	1	9	5		
Hairy Woodpecker	11	153	142	17	24	24	9	9	13	16	16	12	15	12	8	6	8	8	7	8	22	10	9	9	11	8	14	9	7	6	15	12	9	22	10	8	9	9	8	14	8	2	11	8	10			
Pileated Woodpecker	1	277	387	2	1	4	1	1	5	1	1	1	1	3						1				2															2									
Northern Flicker	43	130	84	57	50	42	29	25	35	42	31	41	26	36	54	69	68	54	61	46	57	45	56	55	70	39	26	34	23	38	51	46	49	53	38	39	37	51	51	52	38	20	34	42	28			
• Falconidae sp. •	0																										1		1																			
• Small Falcon sp. •	0		820		1			1																																								
American Kestrel	13	59	61	8	12	13	6	5	4	8	13	12	8	8	15	1	14	6	12	10	11	7	14	19	24	8	4	9	11	9	14	20	18	10	12	18	17	17	31	19	15	21	27	14	18			
Merlin	19	112	104	22	28	16	15	16	24	21	12	23	13	25	24	24	18	24	13	24	21	21	9	16	27	18	19	25	20	23	25	20	18	34	21	10	16	26	30	18	11	7	7	18	14			
• Large Falcon sp. •																																																
Peregrine Falcon	2		77		1	3		1	4	1		5	1	1	1	3	6	3	5	3	2	2	1	4	2		2	1				3	1	2	1			4	3	3	1	4	1	8	2	4		
Prairie Falcon	0																	1																														
Olive-sided Flycatcher	1	53	22	1		1			1			1							1	2	2		1	1	2	5	3	1	1			3		4	5	3	2	1	6	3	4	1	1	1	3			
Western Wood-Pewee	2		6						1						1				1			2				5		3	5	4	2	1	9	1	3	3	8	9	1		13	1	3	2	6			
• Empidonax sp. •	6	78	28	5			4	4	1	2		2		1	2	2	3	14		1	17				58		3	3	1	60			48	10	3				8									
Yellow-bellied Flycatcher	0		171		1		1		1												1	1	1			1			1				1													1		
Alder Flycatcher	4	37	122	2	3	1	5	3	14	3		2	1	2		4	1	12			15	3		4	2	2	14		4	1	4	7			7			12		3	13	4	5		1	5	10	
Least Flycatcher	248	52	93	129	210	213	214	257	261	233	225	343	251	332	285	371	321	344	263	202	171	354	309	191	213	163	262	135	185	228	183	455	175	173	331	226	254	172	228	220	162	181	317	321	250			
Eastern Phoebe	12	25	61	3	12	2	8	7	8	20	6	11	14	10	5	9	12	9	5	12	25	3	10	10	11	12	11	20	6	17	18	24	16	11	14	13	9	13	15	23	16	12	15	12	14			
Say's Phoebe	1	109	175	1	2	1		2	2	1	1			4	1	2	1								1		2				2			1			1	1	1				1			1		
Great Crested Flycatcher	0		95						1																														1		2	1	1					
Western Kingbird	78	60	70	47	79	56	44	60	35	65	26	122	63	44	53	100	58	132	68	50	141	112	115	78	108	96	58	22	69	65	31	79	15	59	80	67	141	50	176	139	65	100	85	124	59			
Eastern Kingbird	180	41	96	74	94	205	191	221	151	298	57	277	107	165	58	175	118	181	124	169	162	154	130	176	110	240	70	59	95	182	74	196	51	161	173	184	245	132	335	249	306	428	159	404	298			
• Vireo sp. •	0		429						2				1																1																			
Blue-headed Vireo	3	25	14	1			2		1							2	1	1	1	1				2		1	1	2	4	1	1	2	11	1			2			2	1			84		1		
Philadelphia Vireo	1	85	160	1	2		2		3	1	1	5	2	2	3				1						1		2		1			1	1			2									3	1		
Eastern Warbling Vireo	62	42	119	26	72	80	74	63	81	95	22	113	85	107	78	61	48	125	67	68	12	44	78	47	45	8	44	7	63	65	22	120	18	14	34	59	90	32	63	43	58	100	84	56	105			
Red-eyed Vireo	42	53	119	22	37	28	73	27	87	37	4	84	23	36	21	8	12	66	14	35		10	63	33	12	16	9	3	51	69	10	83	4	10	1	87	65	33	91	81	70	104	36	124	83			
Loggerhead Shrike	19	80	68	15	20	17	14	6	5	12	9	5	13	11	12	12	5	14	13	11	14	5	10	15	20	7	13	8	5	10	14	12	15	14	22	21	53	50	53	57	38	36	43	26	19	</		

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

The count was under-reported in two sectors

☐ The count was under-reported in three or more sectors

The sector counts are unavailable, but are assumed to be under-reported if the count is >25 and the counts immediately before or after were under-reported

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull, Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.

1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike

All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options

[illegible]

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull,Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.

1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike.

All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options.

	Long-term Average	2026 as %LTA	2021-25 as %LTA	2026	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985			
Brewer's Sparrow																																																
Lark Sparrow	20	202	137	40	33	35	18	24	27	27	31	20	18	17	27	23	22	23	30	12	41	47	21	27	31	28	12	5	7	11	6	10	11	4	11	20	18	23	15	20	5	9	11	20	18			
Lark Bunting	1																											1							1			2		18	23	15	20	5	9	11	20	18
American Tree Sparrow	0		690			6																																										
Fox Sparrow	0														1																											1						
Dark-eyed Junco	1	1547	274	8	5			2							1						1		2			1			4		2			3									1					
White-crowned Sparrow	6	36	32	2		5		5	1	3	5	2		1	4	12	4			5	33	5	1		1	5		18	1	1	6	2	104	25	4		1	2	4	1					2			
Golden-crowned Sparrow																																																
Harris's Sparrow	3										1		5		1							1							21		3	7			57	4	1			2					2		1	
White-throated Sparrow	15	82	19	12	3	3	2	4	3	2	7	5	1	7	11	9	9	4	2	1	65	10	5	12	3		6	78	4	3	53	4	166	70	21	9	5	13	4	5	3	4	1			2	1	
Vesper Sparrow	236	58	73	136	210	221	162	141	128	232	202	268	153	144	317	249	222	191	254	247	398	296	279	251	264	237	151	153	130	169	162	406	269	280	286	208	214	287	245	393	195	235	264	341	229			
Le Conte's Sparrow	22	3	5	1	3	1			2	5	7	15	15	19	22	11	49	10	11	12	8	28	42	30	3	5	13	8	10	26	15	28	31	41	91	33	66	26	32	29	20	33	56	33	25			
Nelson's Sparrow	4		31		1	1	2	2		2	1	4	2	3	2			10	3	1			1	7	3	8			2	9		5	2	4	10	4	5	1	2	13	8	5	1	6	19			
Savannah Sparrow	152	27	62	41	97	129	114	56	80	207	130	202	178	109	198	169	152	141	144	163	188	146	212	188	105	122	92	91	100	134	64	203	161	139	194	152	170	143	195	215	171	168	212	210	200			
Baird's Sparrow	9	9	10	1	1		3	1		1		5	1				2		1	2		1	9	6	1			1	1	2	1	14	7	3	10	15	23	8	42	21	35	42	23	48	41			
Song Sparrow	119	113	88	135	112	129	96	88	100	125	143	97	108	111	104	78	96	118	147	127	189	141	120	109	144	97	107	87	101	131	131	144	159	139	133	103	156	138	141	140	100	77	82	161	80			
Lincoln's Sparrow	2	132	44	2		1	2		1	2				2	3					1	13						1		15		1	3	1	7	4	1		3	8					1		1		
Swamp Sparrow	1		19			1							1		1				1		1	2					1	8				7	4	1	1	2	3	2	5									
Spotted Towhee	75	90	80	67	53	82	49	59	54	56	76	86	45	80	54	49	138	75	45	55	94	76	65	71	81	54	53	27	27	41		61	129	84	75	151	99	97	68	95	92	81	85	99	112	83		
Yellow-breasted Chat	1		196		1	1	3	1	1	2		3	3	4																							1			1				3		2	4	
• Blackbird sp. •	14		200				133	2	1	4	14		184																																	217		
Yellow-headed Blackbird	667	62	59	410	403	449	254	388	484	575	439	947	495	608	545	514	599	345	428	420	320	607	519	468	335	404	366	479	261	465	418	389	539	737	525	400	1091	986	2147	2267	559	3379	694	672	421			
Bobolink	26	36	86	9	14	14	53	13	18	42	21	35	18	36	35	19	28	19	22	17	13	21	27	10	19	8	4	3	14	19	7	36	18	10	38	23	38	15	54	34	38	77	54	24	64			
Western Meadowlark	446	86	87	382	441	442	519	307	233	507	503	520	269	323	344	305	227	282	304	285	387	353	423	571	494	459	247	175	206	294	339	448	409	304	455	518	537	687	970	419	658	796	760	886	673			
Orchard Oriole	0	1215	239	1			1										2																															
Baltimore Oriole	97	80	101	78	89	91	105	99	101	114	83	139	94	99	57	64	56	70	48	47	79	67	67	64	83	49	64	56	97	87	46	129	49	100	78	91	168	93	208	158	143	130	109	208	183			
Red-winged Blackbird	1097	101	103	1107	1012	1339	990	1237	1063	2000	2155	1987	1598	1772	1550	1451	1292	1017	1152	1235	1146	1162	986	1009	934	932	855	894	1003	870	1043	549	740	831	491	541	453	1022	962	1178	416	2070	631	835	579			
Brown-headed Cowbird	393	84	93	330	344	373	305	447	356	511	327	464	349	376	553	581	376	574	536	500	834	440	288	315	330	306	217	240	148	149	133	566	424	244	474	334	369	496	384	648	248	510	311	378	359			
Rusty Blackbird	0									3																2			2								9											
Brewer's Blackbird	452	60	101	272	460	755	323	333	411	560	349	539	461	436	524	627	501	472	524	477	636	487	544	553	402	296	241	384	402	341	337	260	451	382	254	235	280	1053	420	1595	256	214	273	267	232			
Common Grackle	192	243	186	467	318	544	318	277	323	345	394	378	315	307	397	305	282	279	216	307	183	118	85	125	100	137	77	102	135	160	104	79	95	74	30	113	85	85	103	117	152	93	73	44	90			
• Warbler sp. •	1		110					1	4	1	2					1	2	24																														
Ovenbird	11	14	33	2	2	3	2	5	7	9	3	4	9	15	4	11	15	6	5	2	8	4	4	7	7	6	3	49	2	6	17	25	18	7	15	13	16	10	18	16	12	14	29	38	18			
Northern Waterthrush	2	45	42	1	1			1	2	1	1	1			3	1	2	3	1	1	6	3	3	1	2			28		1					1	1	5						1					
Black-and-white Warbler	5	72	113	4	10																																											

The Historical Record of the Saskatoon Nature Society Spring Bird Count, Counts Corrected for Effort - 1985 - 2026

NOTE - To reduce fatigue, observers were historically given the option, for selected species, of counting only to 25 and recording flocks of 50 or more thereafter. From 1968 to 1981 there were short lists of species to be fully counted. Since then, observers have been asked to fully count an ever-increasing list of species. The under-count is less significant than it may appear because any species with less than 25 individuals counted per sector, has been fully counted, and regardless of the options, some sector leaders chose to fully count. The cells have been color-coded to give an idea of the extent of the under-counting.

There was no significant under-reporting

The count was under-reported in one sector

The count was under-reported in two sectors

The count was under-reported in three or more sectors

The sector counts are unavailable, but are assumed to be under-reported if the count is >25 and the counts immediately before or after were under-reported

1968 Species fully counted - Mallard, American Coot, Willet, Marbled Godwit, Franklin's Gull,Black Tern, Rock Pigeon, Eastern Kingbird, Western Kingbird, Black-billed Magpie, American Crow, Mountain Bluebird, Loggerhead Shrike, Yellow Warbler, Western Meadowlark, Yellow-headed Blackbird, Red-winged Blackbird and Clay-colored Sparrow. All others were counted to 25 in each sector.
1969-81 Species fully counted - Mountain Bluebird, American Crow, Eastern Kingbird, Western Kingbird, Black-billed Magpie, Western Meadowlark, American Robin, Short-eared Owl and Loggerhead Shrike.
All other species were counted only to 25 in each sector. In all years, some sector leaders fully counted in their sector regardless of the options.

Species	Long-term Average	2026 as %LTA	2021-25 as %LTA	2026	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991	1990	1989	1988	1987	1986	1985
Palm Warbler	1											1					2				3	1					1	21			3		20				4	1					3		
Yellow-rumped Warbler	56	98	12	54	3	7		10	14	3	14	6	6	1	6	6	18	1	3	2	223	28	8	9	12	76	10	890	14	16	83	27	327	139	33	5	9	224	2	5	8	3	7	6	13
Black-throated Green Warbler	0																1											2																	
Canada Warbler	1		106		1	1	1		1			1	2					1					1	1		5		3		1	1						1						2	4	
Wilson's Warbler	1	76	47	1		1		1	1		1				1		1	1	1		3					7	1	8	1		5		2	4			1							4	
Scarlet Tanager	0																												1																
Western Tanager	0																	1											1		1				1										
Northern Cardinal																																			1										
Rose-breasted Grosbeak	14	104	87	15	10	7	16	18	11	10	9	15	18	10	16	13	14	13	8	6	24	14	10	9	11	6	4	16	8	5	22	10	62	12	21	14	9	15	16	15	19	11	21	15	19
Lazuli Bunting	0																																												
Indigo Bunting	0		820						1																				2																
Total Birds	33873	99	84	33563	31396	38788	23975	22493	24775	28763	30392	30959	24087	27840	30579	32439	30575	30239	26864	27610	34438	38522	28091	36182	42981	27356	21181	19791	32407	30640	28071	36298	55820	38081	78356	23333	42818	42024	42066	39177	25607	38904	39341	42026	43508